Table of Contents

First Edition (June1994) ..... **ii**

Trademarks and Acknowledgements ..... **iii**

Preface ..... **v**
Audience Description v
Applicability vi
Purpose vi
Source Documents vi
Typographic Conventions vii

Table of Contents ..... **ix**

List of Figures ..... **xv**

List of Tables ..... **xvii**

1 Introduction to the PowerOpen ABI **1–2**
1.1 Introduction 1–3
1.2 Conformance 1–4
1.2.1 ABI-Conformant System 1–4
1.2.2 ABI-Conformant Application 1–4
1.3 Evolution of the ABI Specification 1–5

2 Software Installation **2–2**
2.1 Introduction 2–3
2.2 Creating Software Product Installation Packages 2–4
2.2.1 Package Design Requirements 2–4
2.2.2 Library and Shared Library Requirements 2–4
2.2.3 Packaging of Product Options 2–5
2.2.4 The installp Processing of Product Packages 2–6
2.2.4.1 Processing for the Apply Operation 2–6
2.2.4.2 Processing for the Reject Operation 2–9
2.2.4.3 Processing for the Deinstall Operation 2–11
2.2.4.4 Executables That Can Replace Default Scripts 2–12
2.2.4.5 Requisite Checking 2–13
2.2.4.6 Supersedes Processing 2–14
2.3 The Software Product Installation Package 2–16
2.3.1 Format of a Software Package 2–16
2.3.2 Rules and Naming Conventions 2–16
2.3.2.1 Software Product and Product Option Names 2–16
2.3.2.2 Software Product Level 2–16
2.3.2.3 File names 2–17

2.3.2.4 Other Rules . . . . . 2−17
2.3.3 Contents of a Software Package . . . . . 2−18
2.3.3.1 The lpp_name File . . . . . 2−19
2.3.3.2 The liblpp.a File . . . . . 2−26
2.3.4 Description of Installation Control Files . . . . . 2−29
2.3.4.1 Data Files . . . . . 2−29
2.3.4.2 Executable Files . . . . . 2−38
2.4 Format of Distribution Media . . . . . 2−45
2.4.1 Tape . . . . . 2−45
2.4.2 CDROM . . . . . 2−45
2.4.3 Diskette . . . . . 2−45
2.4.4 The Table of Contents File . . . . . 2−46
2.4.4.1 Date/Time Stamp Format . . . . . 2−47
2.4.4.2 Location Format for Tape and Diskette . . . . . 2−47

3 Low-Level System Information . . . . . 3−2
3.1 Introduction . . . . . 3−3
3.2 Instruction Set . . . . . 3−4
3.2.1 Required Instructions for Application Compatibility . . . . . 3−4
3.2.1.1 Required POWER Instructions . . . . . 3−4
3.2.1.2 Common Mode Instruction Set . . . . . 3−5
3.3 POWER Compatibility and Low Memory Definition . . . . . 3−10
3.4 Character Representations . . . . . 3−13
3.5 Storage Operands and Alignment . . . . . 3−14
3.5.1 Storage Operands . . . . . 3−14
3.5.2 Scalar Types . . . . . 3−14
3.5.3 Aggregates and Unions . . . . . 3−15
3.5.4 Bit-Fields . . . . . 3−18
3.5.5 Support for 128-Bit Floating-Point . . . . . 3−18
3.5.5.1 C Language Support for 128-Bit Format . . . . . 3−19
3.5.6 Double Word Integer Support . . . . . 3−19
3.6 Register Usage and Conventions . . . . . 3−20
3.6.1 Special Purpose Registers . . . . . 3−21
3.7 Run-Time Process Stack . . . . . 3−23
3.7.1 Stack Layout . . . . . 3−25
3.7.1.1 Stack Areas . . . . . 3−25
3.7.1.2 Area 1: Sender’s Local Variable Area . . . . . 3−25
3.7.1.3 Area 2: Sender’s Output Argument Area . . . . . 3−25
3.7.1.4 Area 3: Sender’s Link Area . . . . . 3−25
3.7.1.5 Area 4: Catcher’s Floating-Point Registers Save Area . . . . . 3−26
3.7.1.6 Area 5: Catcher’s General Purpose Registers Save Area . . . . . 3−26
3.7.1.7 Area 6: Catcher’s Local Variable Area . . . . . 3−26
3.7.1.8 Area 7: Catcher’s Output Argument Area . . . . . 3−26
3.7.1.9 Area 8: Catcher’s Link Area . . . . . 3−26
3.7.2 Stack Extensions . . . . . 3−26
3.8 Prologs and Epilogs . . . . . 3−27
3.8.1 Prologs and Epilogs for Functions . . . . . 3−27
3.8.2 Saving GPRs Only . . . . . 3−29
3.8.3 Saving GPRs and FPRs . . . . . 3−30
3.8.4 Saving FPRs Only . . . . . 3−31
3.8.5 Multiple Entry Point Services . . . . . 3−35

3.8.6 Updating the Stack Pointer . . . . . 3−41
3.8.7 alloca Function . . . . . 3−42
3.9 Function Calling Sequence . . . . . 3−45
3.9.1 Argument Passing Rules . . . . . 3−45
3.9.2 Application of Parameter and Argument Rules . . . . . 3−47
3.9.3 Function Descriptor . . . . . 3−49
3.9.4 Function Calling By Name . . . . . 3−49
3.9.5 Function Calling By Pointer . . . . . 3−51
3.9.6 Function Return Values . . . . . 3−52
3.10 Symbol Names . . . . . 3−53
3.11 Sharing Data Between Languages . . . . . 3−54
3.11.1 Common Data Types . . . . . 3−54
3.11.2 Private Data Types . . . . . 3−54
3.11.3 Common Argument Passing Modes . . . . . 3−54
3.11.4 Data Type Conventions . . . . . 3−54
3.11.5 Exception Interface and Stack Unwinding . . . . . 3−58
3.11.5.1 Traceback Generation by Language Processors . . . . . 3−58
3.11.5.2 Mandatory Traceback Table Fields . . . . . 3−59
3.11.5.3 Optional Traceback Table Fields . . . . . 3−61
3.11.5.4 Line Number Table . . . . . 3−61
3.12 Type-Checking Extensions . . . . . 3−62
3.12.1 Compiler Encoding for Types . . . . . 3−62
3.12.2 Canonical Representation Rules for Data . . . . . 3−63
3.12.2.1 Scalar Representation . . . . . 3−63
3.12.2.2 Bit-Field Representation . . . . . 3−64
3.12.2.3 Array Representation . . . . . 3−64
3.12.2.4 Pointer Representation . . . . . 3−65
3.12.2.5 Structure Representation . . . . . 3−65
3.12.2.6 Union Representation . . . . . 3−66
3.12.2.7 Miscellaneous Representations . . . . . 3−67
3.12.3 Canonical Representation Rules for Functions . . . . . 3−68
3.12.3.1 Type Encoding for Programs . . . . . 3−68
3.12.3.2 Canonical Representation Rules for Functions . . . . . 3−68
3.12.4 Hash Generations for FORTRAN Programs . . . . . 3−70
3.12.5 Interface To Hash Function . . . . . 3−71
3.12.6 hash.c Function . . . . . 3−72
3.12.7 RBYTES Data . . . . . 3−73
3.13 Operating System Interface . . . . . 3−79
3.13.1 Virtual Address Space . . . . . 3−79
3.13.1.1 Small Memory Model . . . . . 3−79
3.13.2 Large Memory Model . . . . . 3−80
3.13.3 System Configuration Structure . . . . . 3−82
3.13.4 Signals . . . . . 3−83
3.13.4.1 Signal Delivery . . . . . 3−83
3.13.5 Process Initialization . . . . . 3−84
3.13.5.1 Registers . . . . . 3−84

4 Object File Format . . . . . 4−2
4.1 Introduction . . . . . 4−3
4.1.1 Description . . . . . 4−4
4.1.2 XCOFF Include Header Files . . . . . 4−7

4.2 Composite File Header ..... 4−8
4.2.1 File Header (<filehdr.h>) ..... 4−8
4.2.2 Auxiliary Header (<aouthdr.h>) ..... 4−9
4.2.3 Section Headers (<scnhdr.h>) ..... 4−13
4.3 General Information about Sections and Section Headers ..... 4−16
4.3.1 Overflow Headers ..... 4−16
4.3.2 Special Meanings in XCOFF Files ..... 4−17
4.4 Loader Section (<loader.h>) ..... 4−18
4.4.1 Header Field Definitions ..... 4−20
4.4.2 Loader Symbol Table Field Definitions ..... 4−20
4.4.3 Loader Relocation Table Field Definitions ..... 4−22
4.4.4 Loader Import File ID Name Table Definition ..... 4−23
4.4.5 Loader String Table Definition ..... 4−24
4.4.6 Loader Section Header Contents ..... 4−24
4.5 Debug Section ..... 4−26
4.5.1 Field Definitions ..... 4−26
4.5.2 Debug Section Header Contents ..... 4−26
4.6 Type-Check Section ..... 4−27
4.6.1 Field Definitions ..... 4−27
4.6.2 Type Encoding and Checking Format for Data ..... 4−27
4.6.3 Section Header Contents ..... 4−28
4.7 Comment Section ..... 4−29
4.7.1 Field Definitions ..... 4−29
4.7.2 Section Header Contents ..... 4−29
4.8 Exception Section ..... 4−30
4.8.1 Section Header Contents ..... 4−31
4.9 Relocation Information for XCOFF File (<reloc.h>) ..... 4−32
4.9.1 Field Definitions ..... 4−32
4.9.2 Additional Relocation Features ..... 4−35
4.10 Line Number Information for XCOFF File (<linenum.h>) ..... 4−36
4.11 Symbol Table Information ..... 4−37
4.11.1 Symbol Table Layout ..... 4−37
4.11.2 Symbol Table Entry (<syms.h>) ..... 4−38
4.12 Symbol Table Auxiliary Information ..... 4−41
4.12.1 File Auxiliary Entry for C_FILE Symbols ..... 4−41
4.12.2 csect Auxiliary Entry for C_EXT and C_HIDEXT Symbols ..... 4−42
4.12.3 Function Auxiliary Entry for C_EXT and C_HIDEXT Symbols ..... 4−47
4.12.4 Block Auxiliary Entry for C_BLOCK and C_FCN Symbols ..... 4−47
4.12.5 Section Auxiliary Entry for C_STAT Symbols ..... 4−48
4.13 Additional Symbol Table Entry Information ..... 4−49
4.13.1 Symbol Table Field Contents by Storage Class ..... 4−49
4.13.1.1 Storage Classes by Usage and Symbol Value Classification ..... 4−50
4.14 String Table ..... 4−52

5 Program Loading and Dynamic Linking ..... 5−2
5.1 System's Loader ..... 5−3
5.1.1 Valid Load Modules ..... 5−3
5.1.2 Making a Module Addressable ..... 5−4
5.1.3 Shared Read-Only Objects ..... 5−5
5.2 Module Loading Overview ..... 5−6
5.2.1 Loading Dependency Modules ..... 5−6

5.2.2 Import/Export Symbols 5–6
5.2.3 Symbol Resolution 5–7
5.2.4 Relocation 5–7
5.2.5 Deferred Symbol Resolution 5–8
5.2.6 Library Search Path 5–8
5.2.6.1 The exec System Call 5–8
5.2.6.2 The load System Call 5–9
5.3 Loader Interfaces 5–10

6 Libraries 6–2
6.1 Introduction 6–3

7 Formats and Protocols 7–2
7.1 Introduction 7–3
7.2 Archive File 7–4
7.2.1 The Fixed-Length Header 7–4
7.2.2 Member Header 7–5
7.2.3 Archive Body 7–6
7.2.4 Archive Linked-List Structure 7–6
7.2.5 Physical Order of Archive Members 7–7
7.2.5.1 Forward-Linked List 7–7
7.2.5.2 Backward-Linked List 7–7
7.2.5.3 Free-Space Linked List 7–7
7.2.6 Member Types 7–7
7.2.7 Member Table 7–7
7.2.8 External Symbol Table 7–8
7.3 Other Archive Formats 7–9

8 System Commands 8–2
8.1 Introduction 8–3
8.2 Commands For Application Programs 8–4

9 Execution Environment 9–2
9.1 Introduction 9–3
9.2 Execution Environment Interfaces 9–3
9.3 File System Structure and Contents 9–4
9.3.1 Root Subtree 9–5
9.3.1.1 Symbolic Links 9–5

Appendix A — Inter-Language Calling Recommendations A–2
A. Inter-Language Calling Requirements A–3

Appendix B — External Symbol Compatibility B–2
B. External Symbol Compatibility B–3

Appendix C — Symbolic Debugger Stabstrings C–2
C. Symbolic Debugger Stabstrings C–3
C.1. Stabstring Terminal Symbols C–3
C.2. Stabstring Grammar C–3