Index

Symbols

/bin symbolic link, 9−5
/dev, 9−5
/etc, 2−5, 9−5
/export, 9−5
/home, 9−5
/lib symbolic link, 9−5
/root, 2−5
  /dev, /etc, /sbin, /var, 2−5
/sbin, 2−6, 9−5
/tftpboot, 9−5
/tmp, 9−5
/u symbolic link, 9−5
/unix, 5−7
/usr, 2−6
  /bin, /sbin, /include, /lib, /lpp, /share, 2−6
/var, 2−6, 9−5
_divss function, 3−11
_divus function, 3−11
_mulh function, 3−10
_mull function, 3−11
_quoss function, 3−12
_quous function, 3−12

Numbers

128-bit floating point, support, 3−18

A

a, common mode, power instruction set, 3−6
a.out
  definition, Glossary−4
  file structure sample, 4−6
    See also XCOFF
ABI
  application binary interface, definition, Glossary−3
  definition, Glossary−4
  evolution, 1−5
ABI-conforming
  program, definition, Glossary−3
  system, definition, Glossary−3
abs, required instructions, POWER compatibility, 3−4
absolute address, definition, Glossary−3
add, common mode, powerpc instruction set, 3−7
addc, common mode, powerpc instruction set, 3−6
adde, common mode, powerpc instruction set, 3−6
addi, common mode, powerpc instruction set, 3−5
addic, common mode, powerpc instruction set, 3−5
addic., common mode, powerpc instruction set, 3−5
addis, common mode, powerpc instruction set, 3−5
addme, common mode, powerpc instruction set, 3−7
address space
  definition, Glossary−3
  virtual, 3−79
addze, common mode, powerpc instruction set, 3−7
ae, common mode, power instruction set, 3−6
aggregate, definition, Glossary−3
aggregates, 3−15
ai, common mode, power instruction set, 3−5
ai., common mode, power instruction set, 3−5
AIX, Advanced Interactive Executive Operating System, definition, Glossary−3
AIX (advanced interactive executive operating system), definition, Glossary−3
alias entry, leaf entry, definition, Glossary−18
alignment
  definition, Glossary−3
  of bits and bytes in PowerOpen, 3−14
alloca function, 3−42
allocate, definition, Glossary−3
alphabetic and alphanumeric characters, definition, Glossary−3
alphanumeric character, definition, Glossary−3
alphanumeric set, definition, Glossary−3
ame, common mode, power instruction set, 3−7
american national standard code for information interchange (ASCII), definition, Glossary−3
american national standards institute (ANSI), definition, Glossary−4
and, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6

andc, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
andi., common mode, powerpc instruction set, 3−6
andil., common mode, power instruction set, 3−6
andis., common mode, powerpc instruction set, 3−6
andiu., common mode, power instruction set, 3−6
ANSI, American National Standards Institute, definition, Glossary−4
application, definition, Glossary−4
application binary interface (ABI), definition, Glossary−4
application program, definition, Glossary−4
apply, definition, Glossary−4
apply command, 2−6
  processing, 2−6
apply list, definition, Glossary−4
archive, definition, Glossary−4
archive file, 7−4
  archive body, 7−6
  archive linked-list structure, 7−6
  external symbol table, 7−8
  fixed-length header, 7−4
  member header, 7−5
  member table, 7−7
  member types, 7−7
  other formats, 7−9
  physical order of archive members, 7−7
arg pointer, definition, Glossary−4
argument
  definition, Glossary−4
  passing
    common modes, 3−54
    rules, 3−47
    val-by-ref, definition, Glossary−33
  passing rules, 3−45
arithmetic constant, definition, Glossary−4
array, definition, Glossary−4
array name, definition, Glossary−4
array padding, definition, Glossary−5
ASCII
  characters, definition, Glossary−5
  definition, Glossary−3, Glossary−5
assembler
  definition, Glossary−5
  language processors, definition, Glossary−18
assembler language, definition, Glossary−5
asynchronous, definition, Glossary−5
atomic operation, definition, Glossary−5
attribute (of file), definition, Glossary−5
attribute file, definition, Glossary−5
automatic variable, definition, Glossary−5
auxiliary header, header file, a.out.h, 3−80
aze, common mode, power instruction set, 3−7

B

b, common mode
  power instruction set, 3−5
  powerpc instruction set, 3−5
back chain, definition, Glossary−5
backspace (BS), definition, Glossary−5
backup, definition, Glossary−5
backup file format, definition, Glossary−5
backward-linked list, 7−7
base
  address, definition, Glossary−6
  module, definition, Glossary−20
  register, Glossary−6
base module, definition, Glossary−5
bc, common mode
  power instruction set, 3−5
  powerpc instruction set, 3−5
bcc, common mode, power instruction set, 3−6
bcctr, common mode, powerpc instruction set, 3−6
bclr, common mode, powerpc instruction set, 3−5
bcr, common mode, power instruction set, 3−5
big endian, definition, Glossary−6
big-endian order, in PowerOpen, 3−14
big-endian order, definition, Glossary−6
binary
  compatibility, definition, Glossary−6
  constant, definition, Glossary−6
  definition, Glossary−6
  digit (bit), definition, Glossary−6
  expression, definition, Glossary−6
  file, definition, Glossary−6
binary digit, definition, Glossary−6
bind, definition, Glossary−6
binder
  language processor, definition, Glossary−18

linkage editor, definition, Glossary−6
binding, definition, Glossary−6
bit, definition, Glossary−6
bit-fields, 3−18
definition, Glossary−6
bits in a byte, definition, Glossary−6
block, definition, Glossary−7
boolean, definition, Glossary−7
boundary alignment, definition. *See* alignments
BS, definition, Glossary−6
BS (backspace), definition, Glossary−5
byte, definition, Glossary−7
bytes in a register, definition, Glossary−7

C

C language, definition, Glossary−8
c language support for 128−bit format, C, 3−19
C library, definition, Glossary−8
cal, common mode, power instruction set, 3−5
can, definition, Glossary−7
canonical, processing, definition, Glossary−7
canonical representation
alignment, 3−66
array, 3−64
bit-fields, 3−64
definition, Glossary−7
language string, 3−68
miscellaneous, 3−67
pointer, 3−65
rules for data, 3−63
rules for functions, 3−68
scalars, 3−63
structures, 3−65
carriage return, definition, Glossary−7
cau, common mode, power instruction set, 3−5
cax, common mode, power instruction set, 3−7
CDROM, installation media, 2−45
central processing unit (CPU), definition, Glossary−7
character
definition, Glossary−7
multibyte, definition, Glossary−20
special character, definition, Glossary−28
string, definition, Glossary−8
character representations, low-level language, 3−13
character set, definition, Glossary−8
ckprereq command, 2−39
clcs, required instructions, POWER compatibility, 3−4
clf, required instructions, POWER compatibility, 3−4
client, definition, Glossary−8
cmp, common mode
power instruction set, 3−6
powerpc instruction set, 3−6
cmpi, common mode
power instruction set, 3−5
powerpc instruction set, 3−5
cmpl, common mode
power instruction set, 3−6
powerpc instruction set, 3−6
cmpli, common mode
power instruction set, 3−5
powerpc instruction set, 3−5
cntlz, common mode, power instruction set, 3−6
cntlzw, common mode, powerpc instruction set, 3−6
COBOL, definition, Glossary−8
code parameter
definition, Glossary−8
parameter, definition, Glossary−23
code segment
definition, Glossary−8
segment, definition, Glossary−26
command, definition, Glossary−8
commands, system, 8−2
comment section, 4−29
See also XCOFF
commit command, 2−6
common address space, definition, Glossary−8
common mode instruction set, 3−5
compatibility
definition, Glossary−8
POWER, 3−10
required instructions, POWER, 3−4
compatible, definition, Glossary−8
compilers
definition, Glossary−8
language processors, definition, Glossary−18
composite file header, 4−8
See also XCOFF
computer address instruction, definition, Glossary−8
computer instruction, definition, Glossary−9

condition register (CR), definition, Glossary−9
conformance
  ABI-conformant application, 1−4
  ABI-conformant system, 1−4
  to ABI, 1−4
conformant, definition, Glossary−9
constant, definition, Glossary−9
control character, definition, Glossary−9
control section, csect, definition, Glossary−9
coordinated universal time (UTC), definition, Glossary−9
copyright file, for installation, 2−17
count register (CTR), definition, Glossary−9
cpio command, 7−9
CPU (central processing unit), definition, Glossary−7
CR, carriage return, definition, Glossary−7
crand, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
crandc, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
creation date, definition, Glossary−9
creqv, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
crmor, common mode, powerpc instruction set, 3−5
crnand, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
crnor, common mode, power instruction set, 3−5
cror, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
crorc, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
crxor, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
csect
  See also XCOFF
  control section, definition, Glossary−9
  entry for auxiliary symbols, 4−42
current address space, definition, Glossary−9
current directory, definition, Glossary−9

D

data
  area, definition, Glossary−10
  block, definition, Glossary−7
  canonical rules for representation, 3−63
  definition, Glossary−9
  formats and protocols, 7−2
  persistent, definition, Glossary−23
  sharing between languages, 3−54
data type, definition, Glossary−10
data types
  common, 3−54
  conventions, 3−54
  private, 3−54
database, definition, Glossary−10
date, command, 9−3
DBCS, double-byte character set, definition, Glossary−11
dbx stabstrings, XCOFF section, C−3
dcbz, common mode, powerpc instruction set, 3−8
dclst, required instructions, POWER compatibility, 3−4
dclz, common mode, power instruction set, 3−8
dcs, common mode, power instruction set, 3−7
debug
  definition, Glossary−10
  section, 4−26
    See also XCOFF
debugger, definition, Glossary−10
decimal, definition, Glossary−10
decimal constant, definition, Glossary−10
dedicated register, definition, Glossary−10
default, definition, Glossary−10
default value, definition, Glossary−10
deferred resolution, definition, Glossary−10
deinstal, script, replacement, 2−13
deinstall
  command, 2−6
  processing, 2−11
DEL, delete character, definition, Glossary−10
delete character (DEL), definition, Glossary−10
devices, directory containing device files, 9−5
digit, definition, Glossary−10
direct addressing, definition, Glossary−10
directory, definition, Glossary−10

diskette format, installation media, 2–45
diskless clients, directory containing files for, 9–5
displacement, definition, Glossary–10
div, required instructions, POWER compatibility, 3–4
divs, required instructions, POWER compatibility, 3–4
double word integer, definition, 3–19
Double-Byte Character Set (DBCS), definition, Glossary–11
double-precision, definition, Glossary–11
doubleword, definition, Glossary–11
doz, required instructions, POWER compatibility, 3–4
dozi, required instructions, POWER compatibility, 3–4
dynamic
  link, definition, Glossary–11
  load, shared libraries, definition, Glossary–26
dynamic load, shared libraries, definition, Glossary–11

E

effective address, definition, Glossary–11
element, definition, Glossary–11
encoding, type encoding for programs, 3–68
endian
  big-endian order, Glossary–6
  definition, Glossary–11
  in PowerOpen, 3–14
  little endian, definition, Glossary–19
  little-endian, definition, Glossary–19
entry point services, multiple, 3–35
environment, definition, Glossary–11
environment variable, definition, Glossary–11
epilogs, 3–27
  definition, Glossary–11
eqv, common mode
  power instruction set, 3–7
  powerpc instruction set, 3–7
ESC, escape character, definition, Glossary–11
escape character (ESC), definition, Glossary–11
exception
  definition, Glossary–12
  interface, 3–58
  section, 4–30
    See also XCOFF
  table, definition, Glossary–12
exec
  and exec function, definition, Glossary–12
  system call, 5–8, 5–10, 9–3
executable
  file, definition, Glossary–12
  files for installation, 2–38
  module, definition, Glossary–12
  program, definition, Glossary–12
execution environment, 9–2
  interfaces, 9–3
exported symbol, definition, Glossary–12
extended common object file format (XCOFF)
  See also XCOFF
  definition, Glossary–12
external symbol
  compatibility, B–2
  definition, Glossary–12
exts, common mode, power instruction set, 3–8
extsh, common mode, powerpc instruction set, 3–8

F

fa, common mode, power instruction set, 3–8
fabs, common mode
  power instruction set, 3–9
  powerpc instruction set, 3–9
fadd, common mode, powerpc instruction set, 3–8
fcmpo, common mode
  power instruction set, 3–8
  powerpc instruction set, 3–8
fcmpu, common mode
  power instruction set, 3–8
  powerpc instruction set, 3–8
fd, common mode, power instruction set, 3–8
fdiv, common mode, powerpc instruction set, 3–8
file
  control, for installation, 2–29
  definition, Glossary–12
  file descriptor, definition, Glossary–12
  file type, definition, Glossary–13
  header, definition, Glossary–15
  i-node, definition, Glossary–16
  mapped, definition, Glossary–20
  pointer, definition, Glossary–12
  system, definition, Glossary–12
  tree, definition, Glossary–12
file descriptor, definition, Glossary–12

file system
i-node, definition, Glossary−16
structure and contents, 9−4
root, 9−4, 9−5

file type, definition, Glossary−13

fixed-point exception register (XER), definition, Glossary−13

flag, definition, Glossary−13

floating point, definition, Glossary−13

floating-point constant, definition, Glossary−13

floating-point number, definition, Glossary−13

floating-point
single-precision, definition, Glossary−27
status and control register (FPSCR), definition, Glossary−13

fm, common mode, power instruction set, 3−8

fma, common mode, power instruction set, 3−8

fmadd, common mode, powerpc instruction set, 3−8

fmr, common mode
power instruction set, 3−9
powerpc instruction set, 3−9

fms, common mode, power instruction set, 3−8

fmsub, common mode, powerpc instruction set, 3−8

fmul, common mode, powerpc instruction set, 3−8

fnabs, common mode
power instruction set, 3−9
powerpc instruction set, 3−9

fneg, common mode
power instruction set, 3−9
powerpc instruction set, 3−9

fnma, common mode, power instruction set, 3−8

fnmadd, common mode, powerpc instruction set, 3−8

fnms, common mode, power instruction set, 3−8

fnmsub, common mode, powerpc instruction set, 3−8

fork, definition, Glossary−13

formal parameter, definition, Glossary−13

format, installation package, 2−16

FORTRAN
case-sensitivity, 3−53
csect, unnamed common, 4−47
definition, Glossary−13
hash generation, 3−70
intrinsic function, definition, Glossary−17
named common, definition, Glossary−21

forward-linked list, 7−7

FPRs, saving, 3−31

free space, definition, Glossary−13

free-space linked list, 7−7

frsp, common mode
power instruction set, 3−8
powerpc instruction set, 3−8

fs, common mode, power instruction set, 3−8

fsub, common mode, powerpc instruction set, 3−8

full path name, definition, Glossary−13

fullword, definition, Glossary−34

function
call, definition, Glossary−14
calling by name, 3−49
calling by pointer, 3−51
calling sequence, 3−45
canonical rules for representation, 3−68
definition, Glossary−14
descriptor, 3−49
pointer, definition, Glossary−14
return values, 3−52

functional equivalence, definition, Glossary−14

G

general hash, 4−27
definition, Glossary−14

general string, 3−63

general-purpose register (GPR), definition, Glossary−14

generic interface, definition, Glossary−14

getrlimit, function, 9−3

glink
for catcher, 3−50
global link interface function, 3−25

glink routine, definition, Glossary−14

global linkage routine, glink routine, definition, Glossary−14

glue routines, definition, Glossary−14

GPRs
and FPRs, saving, 3−30
saving, 3−29

GPRs and FPRs, introduction, 3−20

H

halfword, definition, Glossary−14

hardware, definition, Glossary−14

hash
  code, definition, Glossary−14
  example, 3−72
  fortran example, 3−70
  general, 3−68, 4−27
  interface to, 3−71
  language, 4−27
  signature, definition, Glossary−14
  table, definition, Glossary−15
hashing, definition, Glossary−14
header file
  auxiliary header, a.out.h, o_maxdata, 3−80
  definition, Glossary−15
  include file, definition, Glossary−16
header files
  a.out.h, 4−7
  aouthdr.h, 4−9, 5−5
  ar.h, 7−6
  filehdr.h, 4−8
  linenum.h, 4−36
  loader.h, 4−18
  reloc.h, 4−32
  scnhdr.h, 4−13
  signal.h, 3−83
  syms.h, 4−38
  systemcfg.h, 3−82, 3−83
  xcoff.h, 4−7
hertz (Hz), definition, Glossary−15
hex, hexadecimal (hex), definition, Glossary−15
hexadecimal (hex), definition, Glossary−15
hexdecimal (hex), constant, definition, Glossary−15
HFT, High Function Terminal, definition, Glossary−15
high function terminal (HFT), definition, Glossary−15
high-order, definition, Glossary−15
Hz, hertz (Hz), definition, Glossary−15

I

i-node, definition, Glossary−16
ics, common mode, power instruction set, 3−6
identifier (ID), definition, Glossary−15
IEEE, definitions, Glossary−15
IEEE 754, definition, Glossary−15
illegal, definition, Glossary−15
immediate data, definition, Glossary−15
implementation, system, definition, Glossary−30
implementation-dependent, definition, Glossary−15
implicit type conversion, definition, Glossary−15
import, definition, Glossary−16
import/export symbols, 5−6
imported symbol, definition, Glossary−16
include file, definition, Glossary−16
include header files, 4−7
  See also XCOFF
index, definition, Glossary−16
indirection, definition, Glossary−16
inherit, definition, Glossary−16
initialization, of process, 3−84
initialize, definition, Glossary−16
inslist, definition, Glossary−16
instal script, 2−4
  replacement, 2−12
install
  archive data file content, 2−27
  archive executable files, 2−28
  control files, data files, 2−29
  file names, 2−17
  library and shared library requirements, 2−4
  other rules, 2−17
  requisite information, 2−23
  rules and naming conventions, 2−16
  size information, 2−25
  software installation package, 2−16
  supersede information, 2−26
installation
  control files, 2−29
  distribution media, 2−45
  executables, 2−12
  file systems
    root, 2−5
    share, 2−5
    usr, 2−5
  liblpp.a file, 2−26
  operations
    apply, 2−6
    deinstall, 2−11
    reject, 2−9
  packaging parts, 2−5
  processing, 2−6
  product option packaging, 2−5
  requirements, 2−4
  requisite checking, 2−13
  script, definition, Glossary−16
  software
    contents, 2−18
    format, 2−16
    package, 2−4

update, 2–4
installp, command, 2–3
See also installation
instantiation, definition, Glossary–16
instruction
address register (IAR), definition, Glossary–16
machine, definition, Glossary–19
pointer, definition, Glossary–16
instruction set, introduction, 3–4
int specifier, definition, Glossary–17
integer, definition, Glossary–16
integer constant, definition, Glossary–16
integer expression, definition, Glossary–16
integral object, definition, Glossary–17, Glossary–26
inter-language calling, A–2
definition, Glossary–17
inter-process communication (IPC), definition, Glossary–17
interface, generic interface, definition, Glossary–14
interfaces
definition, Glossary–17
execution environment, 9–3
glink, 3–25
operating system, 3–79
intermediate data type, definition, Glossary–17
international character support, national language support, definition, Glossary–21
international standards organization (ISO), definition, Glossary–17
interrupt, definition, Glossary–17
intra-language calling, definition, Glossary–17
intrinsic function, definition, Glossary–17
intrinsics, definition, Glossary–17
inucp command, 2–39
inurecv command, 2–39
inurest command, 2–39
inusave command, 2–39
inuumsg command, 2–39
inventory, definition, Glossary–17
IP, instruction address register, definition, Glossary–16
IPC, inter-process communication (IPC), definition, Glossary–17
ISO, international standards organization, definition, Glossary–17
ISO/IEC 646, 3–13
definition, Glossary–17
ISO/IEC 8859–1, definition, Glossary–17
ISO/IEC 9899, 3–13
isync, common mode, powerpc instruction set, 3–6

J

journaling, definition, Glossary–18

L

l, common mode, power instruction set, 3–8
language processors
definition, Glossary–18
rules, 3–3
traceback generation, 3–58
language string, 3–63
languages
common argument passing modes, 3–54
common data types, 3–54
common type convention, 3–54
hash, definition, Glossary–18
machine, definition, Glossary–20
Pascal, definition, Glossary–23
private data types, 3–54
sharing data between, 3–54
support for 128-bit floating point, 3–18
lbrx, common mode, power instruction set, 3–7
lbz, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lbzu, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lbzux, common mode
power instruction set, 3–6
powerpc instruction set, 3–6
lbzx, common mode
power instruction set, 3–6
powerpc instruction set, 3–6
leaf, procedure, definition, Glossary–18
leaf entry, definition, Glossary–18
lfd, common mode
power instruction set, 3–8
powerpc instruction set, 3–8

lfdu, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lfdux, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lfdx, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lfs, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lfsu, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lfsux, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lfsx, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lha, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lhau, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lhaux, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lhax, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lhbrx, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lhz, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lhzu, common mode
power instruction set, 3–8
powerpc instruction set, 3–8
lhzux, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
lhzx, common mode
power instruction set, 3–7
powerpc instruction set, 3–7
libc128.a, 3–19
libccnv, definition, 3–19
liblpp.a file, installation, 2–26
libm, 3–19
libraries, 6–2
library
definition, Glossary–18
search path, 5–8
definition, Glossary–18
shared, definition, Glossary–26
licensed program product (LPP), definition, Glossary–19
line number information, 4–36
See also XCOFF
link
definition, Glossary–18
dynamic, definition, Glossary–11
register (LR), definition, Glossary–18
linkage editor, definition, Glossary–6, Glossary–18
linker, linkage editor, definition, Glossary–6, Glossary–18
linking
link, definition, Glossary–18
program loading and dynamic, 5–2
LISP, definition, Glossary–18
list, definition, Glossary–18
literal, definition, Glossary–19
little endian, definition, Glossary–19
little-endian order, definition, Glossary–19
load
definition, Glossary–19
system call, 5–9, 5–10
load module, definition, Glossary–12
loadbind, system call, 5–10
loader
addressable modules, 5–4
definition, Glossary–19
dependency modules, 5–6
import/export symbols, 5–6
interfaces, 5–10
library search path, 5–8
relocation, 5–7
section structure, 5–4
shared read-only objects, 5–5
symbol resolution, 5–7
deferred, 5–8
system's, 5–3
valid modules, 5–3

loader section, 4−18
  See also XCOFF
loadquery, system call, 5−10
local symbols, definition, Glossary−19
logical
  storage, definition, Glossary−19
  volume, definition, Glossary−19
logical address stace, address, definition, Glossary−19
long
  constant, definition, Glossary−19
  definition, Glossary−19
long double, 3−18
long long int, definition, 3−19
LONGDOUBLE128, definition, 3−19
low memory definition, 3−10
low-order, definition, Glossary−19
LPP, definition, Glossary−19
lpp.cleanup script, replacement, 2−12
lpp.deinstal, replacement, 2−13
lpp.reject, replacement, 2−12
lpp_name file, 2−19
lscbx, required instructions, POWER compatibility, 3−4
lu, common mode, power instruction set, 3−8
lux, common mode, power instruction set, 3−6
lwbrx, common mode, powerpc instruction set, 3−7
lwz, common mode, powerpc instruction set, 3−8
lwzu, common mode, powerpc instruction set, 3−8
lwzux, common mode, powerpc instruction set, 3−6
lwzx, common mode, powerpc instruction set, 3−6
lx, common mode, power instruction set, 3−6

M

machine
  instruction, definition, Glossary−19
  language, definition, Glossary−20
  word, definition, Glossary−34
machine word, definition, Glossary−20
macro, definition, Glossary−20
magic number, definition, Glossary−20
main program, definition, Glossary−20
mapped file, definition, Glossary−20
mask, definition, Glossary−20
maskg, required instructions, POWER compatibility, 3−4
maskir, required instructions, POWER compatibility, 3−4
may, definition, Glossary−20
mcrf, common mode
  power instruction set, 3−5
  powerpc instruction set, 3−5
mcrfs, common mode
  power instruction set, 3−9
  powerpc instruction set, 3−9
mcrxr, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
media, for distribution of installation package, 2−45
member, definition, Glossary−20
memory
  low area definition, 3−10
  shared, definition, Glossary−27
memory model
  large, 3−80
  small, 3−79
mfc, common mode, powerpc instruction set, 3−6
mffs, common mode
  power instruction set, 3−9
  powerpc instruction set, 3−9
mfmsr, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6
mfsr, required instructions, POWER compatibility, 3−4
mfsri, required instructions, POWER compatibility, 3−4
mirroring, definition, Glossary−20
mnemonic, definition, Glossary−20
module
  definition, Glossary−20
  loader, 5−4
  loading, 5−6
  object module, definition, Glossary−22
modulo n, definition, Glossary−20
most-significant bit (msb), in PowerOpen, 3−14
mount points
  definition, Glossary−20
  for file systems, 9−5
mq requirement, POWER compatibility, 3−4
mtcrf, common mode
  power instruction set, 3−6
  powerpc instruction set, 3−6

mtfsb0, common mode
  power instruction set, 3–9
  powerpc instruction set, 3–9
mtfsb1, common mode
  power instruction set, 3–8
  powerpc instruction set, 3–8
mtfsf, common mode
  power instruction set, 3–9
  powerpc instruction set, 3–9
mtfsfi, common mode
  power instruction set, 3–9
  powerpc instruction set, 3–9
mtmsr, common mode
  power instruction set, 3–7
  powerpc instruction set, 3–7
mul, required instructions, POWER compatibility, 3–4
muli, common mode, power instruction set, 3–5
mulli, common mode, powerpc instruction set, 3–5
mullw, common mode, powerpc instruction set, 3–7
muls, common mode, power instruction set, 3–7
multibyte character, definition, Glossary–20
must, definition, Glossary–20

N

nabs, required instructions, POWER compatibility, 3–4
named common, definition, Glossary–21
nand, common mode
  power instruction set, 3–7
  powerpc instruction set, 3–7
national language support (NLS), definition, Glossary–21
neg, common mode
  power instruction set, 3–6
  powerpc instruction set, 3–6
new line character (NL), definition, Glossary–21
NFS (network file system), definition, Glossary–21
NL, new line character, definition, Glossary–21
NLS (national language support), definition, Glossary–21
non-volatile register, definition, Glossary–21
non-conforming program, definition, Glossary–21
non-leaf procedure, definition, Glossary–21
nor, common mode
  power instruction set, 3–6
  powerpc instruction set, 3–6
null
  definition, Glossary–21
  NULL, definition, Glossary–21
  null-terminated, definition, Glossary–21
null-terminated, definition, Glossary–21
numeric, constant, definition, Glossary–21
numeric character, digit, definition, Glossary–10

O

object
  definition, Glossary–21
  shared read-only, 5–5
object code, definition, Glossary–22
object data manager (ODM), 2–17
  definition, Glossary–22
object entry, leaf entry, definition, Glossary–18
object file
  format, 4–3
    See also XCOFF
  object module, definition, Glossary–22
  organization sample, 4–5
    See also XCOFF
object module, definition, Glossary–22
object-level compatibility, definition, Glossary–22
objects, shared library, definition, Glossary–26
obsolescent, definition, Glossary–22
octal, definition, Glossary–22
octet, definition, Glossary–22
ODM (object data manager)
  See also installation
  definition, Glossary–22
op code (operation code), definition, Glossary–22
operating system, interfaces, 3–79
option, definition, Glossary–22
or, common mode
  power instruction set, 3–7
  powerpc instruction set, 3–7
orc, common mode
  power instruction set, 3–7
  powerpc instruction set, 3–7
ordered set of data, list, definition, Glossary–18
ori, common mode, powerpc instruction set, 3–6
oril, common mode, power instruction set, 3–6
oris, common mode, powerpc instruction set, 3–6

oriu, common mode, power instruction set, 3–6

P

package, definition, Glossary–22

pad, definition, Glossary–22

padding, definition, Glossary–23

parameter
  definition, Glossary–23
  passing
    reference mode, definition, Glossary–25
    rules, 3–47
    value mode, definition, Glossary–33

Pascal
  case-sensitivity, 3–53
  definition, Glossary–23

pathconf, function, 9–3

persistent data, definition, Glossary–23

physical
  address, definition, Glossary–23
  block, definition, Glossary–7

physical volume, definition, Glossary–23

PID, process ID, definition, Glossary–24

POE, PowerOpen Environment, definition, Glossary–24

POE (PowerOpen Environment), definition, Glossary–24

pointer
  definition, Glossary–23
  function, definition, Glossary–14
  stack, 3–20, 3–25
  type, definition, Glossary–23

portability
  definition, Glossary–23
  of applications, 1–4

portable operating system interface for computer environments (POSIX), definition, Glossary–23

POSIX
  POSIX Standards, definition, Glossary–24
  POSIX.1 standard, definition, Glossary–23
  POSIX.2 standard, definition, Glossary–23

POSIX Standards, definition, Glossary–24

POWER, compatibility, required instructions, 3–4

POWER compatibility, 3–10

POWER instruction set, 3–4

PowerOpen Environment, definition, Glossary–24

PowerOpen environment (POE), definition, Glossary–24

PowerOpen execution environment, definition, Glossary–24

PowerPC, similarities to RISC System/6000, 3–10

PowerPC instruction set, 3–4

precedence, definition, Glossary–24

precision
  definition, Glossary–24
  double, definition, Glossary–11

private symbols, local, definition, Glossary–19

procedure, definition, Glossary–24

process
  definition, Glossary–24
  image, definition, Glossary–24
  initialization, 3–84
    registers, 3–84

process ID, definition, Glossary–24

processor-specific ABI, definition, Glossary–24

program, definition, Glossary–25

program symbols, definition, Glossary–25

prologs, 3–27
  definition, Glossary–25

prologs and epilogs, 3–27

ptrgl routine, definition, Glossary–25

Q

quadword, definition, Glossary–25

R

RBYTES data, 3–73

real, address, physical, definition, Glossary–23

real number, definition, Glossary–25

real time, definition, Glossary–25

reduced instruction set computer (RISC), definition, Glossary–25

reentrant service, definition, Glossary–25

reference mode, definition, Glossary–25

registers
  bytes in, definition, Glossary–7
  condition (CR), definition, Glossary–9
  count (CTR), definition, Glossary–9
  dedicated, definition, Glossary–10
  definition, Glossary–25
  fixed-point exception (XER), definition, Glossary–13

floating-point status and control (FPSCR), definition, Glossary−13
FPRs, 3−21
general-purpose (GPR), definition, Glossary−14
GPRs, 3−20
GPRs and FPRs, usage, 3−20
instruction address (IAR), definition, Glossary−16
link (LR), definition, Glossary−18
non-volatile, definition, Glossary−21
segment, definition, Glossary−26
special, 3−21
usage and conventions, 3−20, 3−21
volatile, definition, Glossary−33
reject command, 2−6
processing, 2−9
reject script, replacement, 2−12
relocation, definition, Glossary−25
relocation information, 4−22, 4−32
See also XCOFF
remote clients, directory containing files for, 9−5
required instructions, POWER compatibility, 3−4
required power instructions, 3−4
requisite checking, 2−13
return code, definition, Glossary−26
return value, definition, Glossary−26
rfi, common mode
power instruction set, 3−6
powerpc instruction set, 3−6
RISC System/6000
definition, Glossary−26
similarities to PowerOpen, 3−10
rlimi, common mode, power instruction set, 3−6
rlinm, common mode, power instruction set, 3−6
rlmi, required instructions, POWER compatibility, 3−4
rlnm, common mode, power instruction set, 3−6
rlwimi, common mode, powerpc instruction set, 3−6
rlwinm, common mode, powerpc instruction set, 3−6
rlwnm, common mode, powerpc instruction set, 3−6
root
file system, 2−5
list of subdirectories, 9−5
routine, definition, Glossary−26
rrib, required instructions, POWER compatibility, 3−4
run, definition, Glossary−26
run-time process stack, 3−23

S

scalar types, 3−14
section header, 4−13, 4−16
See also XCOFF
segment
definition, Glossary−26
registers, definition, Glossary−26
semaphore, definition, Glossary−26
server, definition, Glossary−26
sf, common mode, power instruction set, 3−6
sfe, common mode, power instruction set, 3−6
sfi, common mode, power instruction set, 3−5
sfme, common mode, power instruction set, 3−7
sfze, common mode, power instruction set, 3−7
share, file system, 2−5
shared files, directory containing, 9−5
shared libraries, definition, Glossary−26
shell
definition, Glossary−27
script and procedure, Glossary−27
variables, definition, Glossary−27
should, definition, Glossary−27
signal
definition, Glossary−27
delivery, 3−83
handlers, 3−83
signal handler, definition, Glossary−27
signal mask, definition, Glossary−27
signal stack, definition, Glossary−27
single shift character, definition, Glossary−27
single-precision, definition, Glossary−27
sl, common mode, power instruction set, 3−6
sle, required instructions, POWER compatibility, 3−4
sleq, required instructions, POWER compatibility, 3−5
sliq, required instructions, POWER compatibility, 3−5
slliq, required instructions, POWER compatibility, 3−5
sllq, required instructions, POWER compatibility, 3−5
slq, required instructions, POWER compatibility, 3−4
slw, common mode, powerpc instruction set, 3−6
socket, definition, Glossary−27
software, definition, Glossary−27

software product and product option names, 2−16
software product level, 2−16
source code, definition, Glossary−27
source file, definition, Glossary−27
source-level compatibility, definition, Glossary−28
special character, definition, Glossary−28
special files, definition, Glossary−28
sr, common mode, power instruction set, 3−7
sra, common mode, power instruction set, 3−7
srai, common mode, power instruction set, 3−8
sraiq, required instructions, POWER compatibility, 3−5
sraq, required instructions, POWER compatibility, 3−5
sraw, common mode, powerpc instruction set, 3−7
srawi, common mode, powerpc instruction set, 3−8
sre, required instructions, POWER compatibility, 3−5
srea, required instructions, POWER compatibility, 3−5
sreq, required instructions, POWER compatibility, 3−5
sriq, required instructions, POWER compatibility, 3−5
srliq, required instructions, POWER compatibility, 3−5
srlq, required instructions, POWER compatibility, 3−5
srq, required instructions, POWER compatibility, 3−5
srw, common mode, powerpc instruction set, 3−7
st, common mode, power instruction set, 3−8
stabstrings section (XCOFF), C−3
stack
  definition, Glossary−28
  diagram, 3−24
  extensions, 3−26
  for function calling alloca, 3−44
  frame layout, 3−28
  frame size, definition, Glossary−28
  layout, 3−25
  overflow, definition, Glossary−28
  pointer, 3−25
    definition, Glossary−28
  run-time process, 3−23
  traceback, definition, Glossary−28
  unwinding, 3−58
  updating the pointer, 3−41
static
  binding, definition, Glossary−28
  variable, definition, Glossary−28
stb, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stbrx, common mode, power instruction set, 3−7
stbu, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stbux, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
stbx, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
stfd, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stfdu, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stfdux, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
stfdx, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
stfs, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stfsu, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
stfsux, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
stfsx, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
sth, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
sthbrx, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
sthu, common mode
  power instruction set, 3−8
  powerpc instruction set, 3−8
sthux, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7
sthx, common mode
  power instruction set, 3−7
  powerpc instruction set, 3−7

stm, common mode, power instruction set, 3−8
stmw, common mode, powerpc instruction set, 3−8
storage
  definition, Glossary−28
  logical, definition, Glossary−19
storage alignment, 3−14
storage elements and alignment, 3−14
  aggregate data defintions, 3−17
  aggregates and unions, 3−15
  bit-fields, 3−18
  scalar types, 3−14
storage operands, 3−14
storage operands and alignment, 3−14
store word form update (STWU), 3−41
stream, definition, Glossary−29
string, definition, Glossary−29
string table, 4−52
  See also XCOFF
  definition, 4−24
structure
  definition, Glossary−29
  of aggregates, 3−15
stsi, common mode, power instruction set, 3−7
stswi, common mode, powerpc instruction set, 3−7
stswx, common mode, powerpc instruction set, 3−7
stsx, common mode, power instruction set, 3−7
stu, common mode, power instruction set, 3−8
stux, common mode, power instruction set, 3−7
stw, common mode, powerpc instruction set, 3−8
stwbrx, common mode, powerpc instruction set, 3−7
stwu, common mode, powerpc instruction set, 3−8
stwux, common mode, powerpc instruction set, 3−7
stwx, common mode, powerpc instruction set, 3−7
stx, common mode, power instruction set, 3−7
subdirectory, definition, Glossary−29
subfc, common mode, powerpc instruction set, 3−6
subfe, common mode, powerpc instruction set, 3−6
subfic, common mode, powerpc instruction set, 3−5
subfme, common mode, powerpc instruction set, 3−7
subfze, common mode, powerpc instruction set, 3−7
subprogram, definition, Glossary−29
subroutine, definition, Glossary−29
subset, definition, Glossary−29
suffix, definition, Glossary−29
symbol
  deferred resolution, 5−8
  external compatibility, B−2
  names, 3−53
  resolution, 5−7
    definition, Glossary−29
symbol table
  auxiliary information, 4−41
    See also XCOFF
  definition, Glossary−29
  external, 7−8
  information, 4−37
    See also XCOFF
    csect. *See* XCOFF
symbol table information. *See* XCOFF
symbolic debugger, definition, Glossary−29
symbolic links
  definition, Glossary−29
  for root directory's subdirectories, 9−5
symbolic name, definition, Glossary−29
sync, common mode, powerpc instruction set, 3−7
synchronous, definition, Glossary−29
syntax, definition, Glossary−29
sysck command, 2−39
sysconf, function, 9−3
system
  call, definition, Glossary−30
  configuration structure, 3−82
  definition, Glossary−30
  loader, 5−3
  low-level information, 3−2
  system call, 9−3

T

t, common mode, power instruction set, 3−6
table of contents (TOC), definition, Glossary−30
tape format, installation media, 2−45
tar command, 7−9
terminal, definition, Glossary−30
terminal application, definition, Glossary−30
thread-synchronous service, definition, Glossary−30
ti, common mode, power instruction set, 3−5
time, command, 9−3
TOC pointer (GPR2), definition, Glossary−30

trace
  definition, Glossary−30
  log, definition, Glossary−30
  table, definition, Glossary−30
traceback
  definition, Glossary−30
  generation by language processors, 3−58
  line number table, 3−61
  mandatory fields, 3−59
  optional fields, 3−61
  table, definition, Glossary−30
transaction, definition, Glossary−30
transfer, definition, Glossary−30
transparent binding, definition, Glossary−30
trap
  definition, Glossary−30
  handler, definition, Glossary−31
  instruction, definition, Glossary−31
tree structure, definition, Glossary−31
truncate, definition, Glossary−31
tty, definition, Glossary−31
tty device, definition, Glossary−31
tw, common mode, powerpc instruction set, 3−6
twi, common mode, powerpc instruction set, 3−5
two's complement, definition, Glossary−31
type
  checking, extensions, 3−62
  declaration, definition, Glossary−31
  definition, definition, Glossary−31
  encoding for programs, 3−68
  identifier, definition, Glossary−31
  specifier, definition, Glossary−31
type-check section, 4−27
  See also XCOFF

U

ublock (user block), definition, Glossary−32
UID, user number, definition, Glossary−32
umask, definition, Glossary−31
uname, function and command, 9−3
undefine, definition, Glossary−31
undefined, definition, Glossary−31
union, definition, Glossary−31
unions, 3−15
universal hash, definition, Glossary−32
universal string, 3−63
unload, system call, 5−10
unpredictable, definition, Glossary−32
unsigned long long, 3−19
update script, 2−4
  replacement, 2−12
user
  block, definition, Glossary−32
  data segment, definition, Glossary−32
  definition, Glossary−32
  mode, definition, Glossary−32
  profile, definition, Glossary−32
  structure, definition, Glossary−32
user area, definition, Glossary−32
user number (UID), definition, Glossary−32
usr, file system, 2−5
UTC, coordinated universal time, definition, Glossary−9
utility, definition, Glossary−32

V

val-by-ref, with aggregate values, 3−45
val-by-ref, definition, Glossary−33
value mode, definition, Glossary−33
variable
  definition, Glossary−33
  environment variable, definition, Glossary−11
variable length field, definition, Glossary−33
version, definition, Glossary−33
VFS, virtual file system, definition, Glossary−33
virtual
  address, definition, Glossary−33
  device, definition, Glossary−33
  mount point, definition, Glossary−33
virtual file system (VFS), definition, Glossary−33
virtual memory, definition, Glossary−33
virtual storage, virtual memory, definition, Glossary−33
Vol ID (Volume ID), definition, Glossary−34
volatile, register, definition, Glossary−33
volume
  definition, Glossary−34

logical, definition, Glossary−19
physical volume, definition, Glossary−23

W

will, definition, Glossary−34

word
definition, Glossary−34
doubleword, definition, Glossary−11
halfword, definition, Glossary−14
quadword, definition, Glossary−25

working directory, definition, Glossary−9

X

X server, server, definition, Glossary−26

X Window System, intrinsics, definition, Glossary−17

XCOFF
a.out file structure sample, 4−6
dbx stabstrings section, C−3
description, 4−4
extended common object file format, definition, Glossary−12
file contents, 4−4
header files
composite, 4−8
auxiliary, 4−9
file header, 4−8
section, 4−13
include, 4−7
line number information, 4−36
relocation information, 4−32
introduction, 4−3
language processor output, 4−4
loader section structure, 4−19
loading executable, 4−4
object file organization sample, 4−5
section header general information, 4−16
sections
comment, 4−29
debug, 4−26
exception, 4−30
loader field definitions
external symbol table, 4−20
header, 4−20
import file ID name, 4−23
relocation table, 4−22
section header contents, 4−24
string table, 4−24
loader introduction, 4−18
type-check, 4−27
string table, 4−52
symbol table auxiliary information, 4−41
C_BLOCK and C_FCN block entry, 4−47
C_EXT and C_HIDEXT
csect entry, 4−42
function auxiliary entry, 4−47
C_FILE auxiliary entry, 4−41
C_STAT section entry, 4−48
symbol table information, 4−37
additional information, 4−49
symbol table entry, 4−38

XCOFF sections, dbx stabstrings, C−3

xor, common mode
power instruction set, 3−7
powerpc instruction set, 3−7

xori, common mode, powerpc instruction set, 3−6

xoril, common mode, power instruction set, 3−6

xoris, common mode, powerpc instruction set, 3−6

xoriu, common mode, power instruction set, 3−6